


NAZIVNI PROMJER NENNWEITE NOMINAL SIZE	NAZIVNI TLAK NENNDRUCK PRESSURE RATING	PRIJEBNICE FLANSCH FLANGES EN 1092-2 (DIN 2501)	VODNI ISPLNI TLAK WASSERPRUFDRUCK TEST PRESSURE
DN	PN bar	bar	bar
200 - 1000	10	10	16
200 - 1000	16	16	25

Broj artikla
Artikelnummer
Model N°
V7 – 10

NAMJENA: VODA, PITKA VODA, MORSKA VODA, NAFTA
VERWENDUNG: WASSER, TRINKWASSER, SEEWASSER, ÖL
APPLICATION: WATER, DRINKING-WATER, SEA-WATER, OIL



POZ TEIL PART	MATERIJAL PO EN-u WERKSTOFF NACH EN MATERIAL ACC TO EN	MATERIJAL PO DIN-u WERKSTOFF NACH DIN MATERIAL ACC TO DIN
1	S235JR X6CrNiMoTi17-12-2	St 37-2 X6CrNiMoTi17-12-2
2	S235JR X6CrNiMoTi17-12-2	St 37-2 X6CrNiMoTi17-12-2
3	S235JR X6CrNiMoTi17-12-2	St 37-2 X6CrNiMoTi17-12-2
4	EPDM NBR	EPDM NBR
5	8.8 gal. Zn A2/A4	8.8 gal. Zn A2/A4
6	8 gal. Zn A2/A4	8 gal. Zn A2/A4

Ostali materijali na upit.
Andere Werkstoffe auf Anfrage.
Other materials on request.

6

DN		200	250	300	350	400	450	500	600	700	800	900	1000
PN 10	D	340	395	445	505	565	615	670	780	895	1015	1115	1230
	k	295	350	400	460	515	565	620	725	840	950	1050	1160
	n	8	12	12	16	16	20	20	20	24	24	28	28
	l	23	23	23	23	28	28	28	31	31	34	34	37
	L ₁	350	350	350	350	375	375	375	400	400	450	450	475
	L ₂	290	290	290	290	320	320	320	340	340	380	380	420
	m kg	63	89	102	126	162	178	200	269	334	457	520	656
PN 16	D	340	405	460	520	580	640	715	840	910	1025	1125	1255
	k	295	355	410	470	525	585	650	770	840	950	1050	1170
	n	12	12	12	16	16	20	20	20	24	24	28	28
	l	23	28	28	28	31	31	34	37	37	41	41	44
	L ₁	350	375	375	425	425	425	450	475	475	525	525	550
	L ₂	290	320	320	350	350	350	380	400	400	450	450	450
	m kg	67	100	118	166	207	236	310	419	449	614	696	895

Narudžba

Narudžba mora sadržavati sljedeće podatke:
- Broj artikla: V7 - 10
- Nazivni promjer, npr. DN 200
- Nazivni pritisak, npr. PN 16

Bestellung


Bei Bestellungen bitte angeben:
- Artikelnummer: V7 - 10
- Nennweite z.B. DN 200
- Nenndruck z.B. PN 16

Ordering

When ordering please state:
- Model number: V7 - 10
- Nominal size e.g. DN 200
- Nominal pressure, e.g. PN 16

NAZIVNI PROMJER NENNWEITE NOMINAL SIZE	NAZIVNI TLAK NENNDRUCK PRESSURE RATING	PRIRUBNICE FLANSCH FLANGES EN 1092-2 (DIN 2501)	VODNI ISPITNI TLAK WASSERPRÜFDRUCK TEST PRESSURE
DN	PN bar	bar	bar
40 - 1600	10	10	16
40 - 1400	16	16	25
40 – 1200	25	25	40

NAMJENA: VODA, PITKA VODA, MORSKA VODA, NAFTA
 VERWENDUNG: WASSER, TRINKWASSER, SEEWASSER, ÖL
 APPLICATION: WATER, DRINKING-WATER, SEA-WATER, OIL



POZ TEIL PART	MATERIJAL PO EN-U WERKSTOFF NACH EN MATERIAL ACC TO EN	MATERIJAL PO DIN-U WERKSTOFF NACH DIN MATERIAL ACC TO DIN
1	S235JR X6CrNiMoTi17-12-2	St 37-2 X6CrNiMoTi17-12-2
2	S235JR X6CrNiMoTi17-12-2	St 37-2 X6CrNiMoTi17-12-2
3	S235JR X6CrNiMoTi17-12-2	St 37-2 X6CrNiMoTi17-12-2
4	EPDM NBR	EPDM NBR
5	8.8 gal. Zn A2/A4	8.8 gal. Zn A2/A4
6	8 gal. Zn A2/A4	8 gal. Zn A2/A4

Ostali materijali na upit.
 Andere Werkstoffe auf Anfrage.
 Other materials on request.

Narudžba ventila


Narudžba mora sadržavati slijedeće podatke:
 - Broj artikla: V7 – 10A
 - Nazivni promjer, npr. DN 200
 - Nazivni pritisak, npr. PN 16

Bestellung

Bei Bestellung bitte angeben:
 - Artikelnummer: V7 – 10A
 - Nennweite z. B. DN 200
 - Nenndruck z.B. PN 16

Ordering

When ordering please state:
 - Model number: V7 – 10A
 - Nominal size e.g. DN 200
 - Nominal pressure, e.g. PN 16




DN		40	50	65	80	100	125	150	175	200	250	300	350	400
PN 10	D	150	165	185	200	220	250	285	315	340	395	445	505	565
	k	110	125	145	160	180	210	240	270	295	350	400	460	515
	n	4	4	4	8	8	8	8	8	8	12	12	16	16
	l	19	19	19	19	19	19	23	23	23	23	23	23	28
	L ₁	180	180	180	200	200	200	200	220	220	220	220	230	230
PN 16	L ₂	280	280	280	310	310	310	320	340	340	360	360	360	370
	m kg	9	11	13	17	21	26	35	45	49	64	73	96	124
	D	150	165	185	200	220	250	285	315	340	405	460	520	580
	k	110	125	145	160	180	210	240	270	295	355	410	470	525
	n	4	4	4	8	8	8	8	8	12	12	12	16	16
PN 25	l	19	19	19	19	19	19	23	23	23	28	28	28	31
	L ₁	180	180	180	200	200	200	200	220	220	230	250	260	270
	L ₂	280	280	280	310	310	310	320	340	340	370	410	410	430
	m kg	9	11	13	18	21	26	35	45	52	76	93	129	164
	D	150	165	185	200	235	270	300	330	360	425	485	555	620
PN 25	k	110	125	145	160	190	220	250	280	310	370	430	490	550
	n	4	4	8	8	8	8	8	12	12	12	16	16	16
	l	19	19	19	19	23	28	28	28	28	31	31	34	37
	L ₁	190	200	200	210	220	220	230	230	230	250	250	270	280
	L ₂	310	310	310	330	340	370	370	370	370	410	410	440	480
	m kg	10	13	18	22	32	43	52	65	76	103	134	196	248

DN		450	500	600	700	800	900	1000	1100	1200	1300	1400	1500	1600
PN 10	D	615	670	780	895	1015	1115	1230	1340	1455	1575	1675	1785	1915
	k	565	620	725	840	950	1050	1160	1270	1380	1490	1590	1700	1820
	n	20	20	20	24	24	28	28	32	32	32	36	36	40
	l	28	28	31	31	34	34	37	37	41	44	44	44	50
	L ₁	250	260	260	260	290	290	290	300	320	340	360	380	390
PN 16	L ₂	390	390	410	410	460	460	480	480	520	530	560	590	600
	m kg	141	160	207	259	354	407	488	589	748	914	1037	1162	1525
	D	640	715	840	910	1025	1125	1255	1355	1485	1585	1685	-	-
	k	585	650	770	840	950	1050	1170	1270	1390	1490	1590	-	-
	n	20	20	20	24	24	28	28	32	32	32	36	-	-
PN 25	l	31	34	37	37	41	41	44	44	50	50	50	-	-
	L ₁	270	280	300	300	320	320	340	340	360	370	380	-	-
	L ₂	430	440	480	480	520	520	560	560	600	610	630	-	-
	m kg	190	243	332	368	480	548	719	813	1110	1226	1350	-	-
	D	670	730	845	960	1085	1185	1320	-	1530	-	-	-	-
PN 25	k	600	660	770	875	990	1090	1210	-	1420	-	-	-	-
	n	20	20	20	24	24	28	28	-	32	-	-	-	-
	l	37	37	41	44	50	50	57	-	57	-	-	-	-
	L ₁	280	300	320	340	360	380	400	-	450	-	-	-	-
	L ₂	480	480	520	530	600	600	650	-	720	-	-	-	-
	m kg	281	327	436	573	800	888	1272	-	1870	-	-	-	-

MONTAŽNO DEMONTAŽNI KOMAD TIP "MDK B" – St 37
DISMANTLING PIECE TYPE "MDK B" – St 37
AUSBAUSTÜCK TYP "MDK B" – St 37

Broj artikla:
Art. No.
Artikelnummer:
V7 – 10B




POZ TEIL PART	MATERIJAL PO DIN-u WERKSTOFF NACH DIN MATERIAL ACC TO DIN
1	St 37
	X6 CrNiMoTi 17 12 2
2	St 37
	X6 CrNiMoTi 17 12 2
3	PERBUNAN
4	PERBUNAN
5	8.8 / A2
6	8 / A2

PN	DN	500	600	700	800	900	1000	1200	1400	1600	1800	2000	2200
	L	200	200	200	200	200	200	220	250	250	300	300	300
	L ₁	360	380	380	400	400	420	460	500	540	560	580	580
10	D	670	780	895	1015	1115	1230	1445	1675	1915	2115	2325	2550
	k	620	725	840	950	1050	1160	1380	1590	1820	2020	2230	2440
	d ₂	26	30	30	33	33	36	39	42	48	48	48	56
	n	20	20	24	24	28	28	32	36	40	44	48	52
	G kp	160	207	259	304	395	460	640	900	1280	1600	1940	2520
16	D	715	840	910	1025	1125	1255	1485	1685	1930	2130	2345	2555
	k	650	770	840	950	1050	1170	1390	1590	1820	2020	2230	2440
	d ₂	33	36	36	39	39	42	48	48	56	56	62	62
	n	20	20	24	24	28	28	32	36	40	44	48	52
	G kp	240	302	330	380	450	680	740	1020	1400	1760	2090	2800

NAZIVNI PROMJER NENNWEITE NOMINAL SIZE	NAZIVNI TLAK NENNDRUCK PRESSURE RATING	PRIRUBNICE FLANSCH FLANGES EN 1092-2 (DIN 2501)	VODNI ISPIJINI TLAK WASSERPRÜFDRUCK TEST PRESSURE
DN	PN bar	bar	bar
40 - 1200	10	10	16
40 - 1200	16	16	25
40 - 1000	25	25	40

Broj artikla
Artikelnummer
Model N°
V7 – 10C

NAMJENA: VODA, PITKA VODA, MORSKA VODA, NAFTA
VERWENDUNG: WASSER, TRINKWASSER, SEEWASSER, ÖL
APPLICATION: WATER, DRINKING WATER, SEA WATER, OIL



6

POZ TEIL PART	MATERIJAL PO EN-u WERKSTOFF NACH EN MATERIAL ACC TO EN	MATERIJAL PO DIN-u WERKSTOFF NACH DIN MATERIAL ACC TO DIN
1	EN-GJS	GGG
2	EN-GJS	GGG
3	EN-GJS	GGG
4	EPDM NBR	EPDM NBR
5	8.8 gal. Zn A2/A4	8.8 gal. Zn A2/A4
6	8 gal. Zn A2/A4	8 gal. Zn A2/A4

Ostali materijali na upit.
Andere Werkstoffe auf Anfrage.
Other materials on request.

Narudžba


Narudžba mora sadržavati sljedeće podatke:
- Broj artikla: V7 – 10C
- Nazivni promjer, npr. DN 200
- Nazivni pritisak, npr. PN 16

Bestellung

Bei Bestellungen bitte angeben:
- Artikelnummer: V7 – 10C
- Nennweite z.B. DN 200
- Nenndruck z.B. PN 16

Ordering

When ordering please state:
- Model number: V7 – 10C
- Nominal size e.g. DN 200
- Nominal pressure, e.g. PN 16



DN		40	50	65	80	100	125	150	175	200	250	300	350	400
PN 10	D	150	165	185	200	220	250	285	315	340	395	445	505	565
	k	110	125	145	160	180	210	240	270	295	350	400	460	515
	n	4	4	4	8	8	8	8	8	8	12	12	16	16
	l	19	19	19	19	19	19	23	23	23	23	23	23	28
	L ₁	180	180	180	200	200	200	200	220	220	220	220	230	230
PN 16	L ₂	280	280	280	310	310	310	320	340	340	360	360	360	370
	m kg	9	11	13	17	21	26	35	45	49	64	73	96	124
	D	150	165	185	200	220	250	285	315	340	405	460	520	580
	k	110	125	145	160	180	210	240	270	295	355	410	470	525
	n	4	4	4	8	8	8	8	8	12	12	12	16	16
PN 25	l	19	19	19	19	19	19	23	23	23	28	28	28	31
	L ₁	180	180	180	200	200	200	200	220	220	230	250	260	270
	L ₂	280	280	280	310	310	310	320	340	340	370	410	410	430
	m kg	9	11	13	18	21	26	35	45	52	70	93	129	164
	D	150	165	185	200	235	270	300	330	360	425	485	555	620
PN 10	k	110	125	145	160	190	220	250	280	310	370	430	490	550
	n	4	4	8	8	8	8	8	12	12	12	16	16	16
	l	19	19	19	19	23	28	28	28	28	31	31	34	37
	L ₁	190	200	200	210	220	220	230	230	230	250	250	270	280
	L ₂	310	310	310	330	340	370	370	370	370	410	410	440	480
	m kg	10	13	18	22	32	43	52	65	76	103	134	196	248

DN		450	500	600	700	800	900	1000	1200
PN 10	D	615	670	780	895	1015	1115	1230	1455
	k	565	620	725	840	950	1050	1160	1380
	n	20	20	20	24	24	28	28	32
	l	28	28	31	31	34	34	37	41
	L ₁	250	260	260	260	290	320	340	360
PN 16	L ₂	390	390	410	410	460	520	560	600
	m kg	141	160	207	259	354	525	690	1100
	D	640	715	840	910	1025	1125	1255	1485
	k	585	650	770	840	950	1050	1170	1390
	n	20	20	20	24	24	28	28	32
PN 25	l	31	34	37	37	41	41	44	50
	L ₁	270	280	300	300	320	320	340	360
	L ₂	430	440	480	480	520	520	560	600
	m kg	190	243	332	368	480	548	719	1110
	D	670	730	845	960	1085	1185	1320	
PN 10	k	600	660	770	875	990	1090	1210	
	n	20	20	20	24	24	28	28	
	l	37	37	41	44	50	50	57	
	L ₁	280	300	320	340	360	380	400	
	L ₂	480	480	520	530	600	600	650	
	m kg	281	327	436	573	800	888	1272	

n – broj rupa

– Anzahl der Löcher

– Number of holes

L₁ – standardna dužina ugradnje. Na poseban zahtjev moguće su i druge dužine ugradnje.

L₁ – Standard Baulängenreihe. Es ist möglich auf besondere Anforderung auch andere Baulängenreihe bestellen.


L₁ – standard face to face. It is able to order other face to face too

NAZIVNI PROMJER NENNWEITE NOMINAL SIZE	NAZIVNI TLAK NENNDRUCK PRESSURE RATING	PRIKUBNICE FLANSCH FLANGES EN 1092-2 (DIN 2501)	VODNI ISPITNI TLAK WASSERPRÜDRUCK TEST PRESSURE
DN	PN bar	bar	bar
40 - 1000	10	10	16
40 - 1000	16	16	25

Broj artikla
Artikelnummer
Model N°

V7 – 10D

NAMJENA: VODA, PITKA VODA, MORSKA VODA, NAFTA
VERWENDUNG: WASSER, TRINKWASSER, SEEWASSER, ÖL
APPLICATION: WATER, DRINKING-WATER, SEA-WATER, OIL



POZ TEIL PART	MATERIJAL PO EN-U WERKSTOFF NACH EN MATERIAL ACC TO EN	MATERIJAL PO DIN-U WERKSTOFF NACH DIN MATERIAL ACC TO DIN
1	EN-GJS	GGG
2	EN-GJS	GGG
3	EN-GJS	GGG
4	EPDM	EPDM
	NBR	NBR
5	8.8 gal. Zn	8.8 gal. Zn
	A2/A4	A2/A4
6	8 gal. Zn	8 gal. Zn
	A2/A4	A2/A4

Ostali materijali na upit.

Andere Werkstoffe auf Anfrage.

Other materials on request.

6

DN		40	50	65	80	100	125	150	175	200	250	300	350	400
PN 10	D	150	165	185	200	220	250	285	315	340	395	445	505	565
	k	110	125	145	160	180	210	240	270	295	350	400	460	515
	n	4	4	4	8	8	8	8	8	8	12	12	16	16
	l	19	19	19	19	19	19	23	23	23	23	23	23	27
	L ₁	300	300	300	300	300	300	350	350	350	350	350	350	375
	L ₂	250	250	250	250	250	250	290	290	290	290	290	290	320
	m kg	12	14	17	22	28	35	50	59	63	89	102	126	162
PN 16	D	150	165	185	200	220	250	285	315	340	405	460	520	580
	k	110	125	145	160	180	210	240	270	295	355	410	470	525
	n	4	4	4	8	8	8	8	8	12	12	12	16	16
	l	19	19	19	19	19	19	23	23	23	27	27	27	31
	L ₁	300	300	300	300	300	300	350	350	350	375	375	425	425
	L ₂	250	250	250	250	250	250	290	290	290	320	320	350	350
	m kg	12	14	17	23	28	35	50	59	67	100	118	166	207

DN		450	500	600	700	800	900	1000
PN 10	D	615	670	780	895	1015	1115	1230
	k	565	620	725	840	950	1050	1160
	n	20	20	20	24	24	28	28
	l	27	27	31	31	34	34	37
	L ₁	375	375	400	400	450	450	475
	L ₂	320	320	340	340	380	380	420
	m kg	178	200	269	334	457	520	636
PN 16	D	640	715	840	910	1025	1125	1255
	k	585	650	770	840	950	1050	1170
	n	20	20	20	24	24	28	28
	l	31	34	37	37	41	41	44
	L ₁	425	450	475	475	525	525	550
	L ₂	350	380	400	400	450	450	450
	m kg	236	310	419	449	614	696	893

n – broj rupa

- Anzahl der Löcher
- Number of holes

L₁ – standardna dužina ugradnje. Na poseban zahtjev moguće su i druge dužine ugradnje.

L₁ Standard Baulagenreihe Es ist möglich auf besondere Anforderung auch andere Baulagenreihe bestellen.

L₁ – standard face to face. It is able to order other face to face too.

Narudžba

Narudžba mora sadržavati sljedeće podatke:

- Broj artikla: V7 10D
- Nazivni promjer, npr. DN 200
- Nazivni pritisak, npr. PN 16

Bestellung

Bei Bestellungen bitte angeben:

- Artikelnummer: V7 10D
- Nennenweite z.B. DN 200
- Nennndruck z.B. PN 16


Ordering

When ordering please state:

- Model number: V7 10D
- Nominal size e.g. DN 200
- Nominal pressure, e.g. PN 16

NAZIVNI PROMJER NENNWEITE NOMINAL SIZE	NAZIVNI TLAK NENNDRUCK PRESSURE RATING	PRIRUBNICE FLANSCH FLANGES EN 1092-2 (DIN 2501)	VOĐNI ISPIJNI TLAK WASSERPRÜFDRUCK TEST PRESSURE
DN	PN <i>bar</i>	<i>bar</i>	<i>bar</i>
1400 – 1600	10	10	16
1400 – 1600	16	16	25

NAMJENA: VODA, PITKA VODA, MORSKA VODA, NAFTA
 VERWENDUNG: WASSER, TRINKWASSER, SEEWASSER, ÖL
 APPLICATION: WATER, DRINKING-WATER, SEA-WATER, OIL



POZ TEIL PART	MATERIJAL PO EN-u WERKSTOFF NACH EN MATERIAL ACC TO EN	MATERIJAL PO DIN-u WERKSTOFF NACH DIN MATERIAL ACC TO DIN
1	EN-GJS	GGG
2	EN-GJS	GGG
3	EPDM	EPDM
	NBR	NBR
4	8.8 gal. Zn	8.8 gal. Zn
	A2/A4	A2/A4
5	8 gal. Zn	8 gal. Zn
	A2/A4	A2/A4

Ostali materijali na upit.
 Andere Werkstoffe auf Anfrage.
 Other materials on request.

	DN	1400	1600
	L ₁	250	250
	L ₂	500	510
PN 10	D	1675	1915
	k	1590	1820
	I	44	50
	n	36	40
	m kg	900	1280
PN 16	D	1685	1930
	k	1590	1820
	I	50	57
	n	36	40
	m kg	1020	1400

Narudžba ventila

Narudžba mora sadržavati sljedeće podatke:
 - Broj artikla: V7 – 10E
 - Nazivni promjer, npr. DN 1400
 Nazivni pritisak, npr. PN 16

Bestellung

Bei Bestellung bitte angeben:
 - Artikelnummer: V7 – 10E
 - Nennweite z. B. DN 1400
 Nenndruck z.B. PN 16

Ordering


When ordering please state:
 - Model number: V7 – 10E
 - Nominal size e.g. DN 1400
 Nominal pressure, e.g. PN 16

NAZIVNI PROMJER NENNWEITE NOMINAL SIZE	NAZIVNI TLAK NENNDRUCK PRESSURE RATING	PRIKUBNICE FLANSCH FLANGES EN 1092-2 (DIN 2501)	VOĐNI ISPIHNI TLAK WASSERPRÜDRUCK TEST PRESSURE
DN	PN <i>bar</i>	<i>bar</i>	<i>bar</i>
150 - 1000	10	10	16

Broj artikla
Artikelnummer
Model N°

V7 – 11

NAMJENA: VODA, PITKA VODA, MORSKA VODA, NAFTA
VERWENDUNG: WASSER, TRINKWASSER, SEEWASSER, ÖL
APPLICATION: WATER, DRINKING-WATER, SEA-WATER, OIL



POZ TEIL PART	MATERIJAL PO EN-II WERKSTOFF NACH EN MATERIAL ACC TO EN	MATERIJAL PO DIN-II WERKSTOFF NACH DIN MATERIAL ACC TO DIN
1	S235JR	St 37-2
	X6CrNiMoTi17-12-2	X6CrNiMoTi17-12-2
2	S235JR	St 37-2
	X6CrNiMoTi17-12-2	X6CrNiMoTi17-12-2
3	S235JR	St 37-2
	X6CrNiMoTi17-12-2	X6CrNiMoTi17-12-2
4	EPDM	EPDM
	NBR	NBR
5	8.8 gal. Zn	8.8 gal. Zn
	A2/A4	A2/A4
6	8 gal. Zn	8 gal. Zn
	A2/A4	A2/A4

6

Ostali materijali na upit.

Andere Werkstoffe auf Anfrage.

Other materials on request.

DN	150	175	200	250	300	350	400	450	500	600	700	800	900	1000
PN 10	D	285	315	340	395	445	505	565	615	670	780	895	1015	1230
	k	240	270	295	350	400	460	515	565	620	725	840	950	1160
	n	8	8	8	12	12	16	16	20	20	20	24	24	28
	l	23	23	23	23	23	23	27	27	27	31	31	34	37
	L ₁	100	100	100	110	110	120	120	120	120	120	130	150	150
	L ₂	195	195	195	215	215	215	230	230	230	240	250	280	290
	x	10	10	10	10	10	10	10	10	10	10	12	12	12
	m kg	22	26	30	40	47	59	74	81	102	121	156	202	296

Narudžba

Narudžba mora sadržavati sljedeće podatke:

- Broj artikla: V7 – 11
- Nazivni promjer, npr. DN 500
- Nazivni pritisak, npr. PN 10

Bestellung

Bei Bestellungen bitte angeben:

- Artikelnummer: V7 – 11
- Nennweite z.B. DN 500
- Nenndruck z.B. PN 10


Ordering

When ordering please state:

- Model number: V7 – 11
- Nominal size e.g. DN 500
- Nominal pressure, e.g. PN 10

NAZIVNI PROMJER NENNWEITE NOMINAL SIZE	NAZIVNI TLAK NENNDRUCK PRESSURE RATING	PRIJEDBNICE FLANSCH EN 1092-2 (DIN 2501)	VOJNJIŠKI TLAK WASSERPRÜHD-RUCK TEST PRESSURE
DN	PN bar	bar	bar
100 - 1000	10	10	16
100 - 1000	16	16	25

NAMJENA: VODA, PITKA VODA, MORSKA VODA, NAFTA
 VERWENDUNG: WASSER, TRINKWASSER, SEEWASSER, ÖL
 APPLICATION: WATER, DRINKING-WATER, SEA-WATER, OIL



POZ TEIL PART	MATERIJAL PO EN-u WERKSTOFF NACH EN MATERIAL ACC TO EN	MATERIJAL PO DIN-u WERKSTOFF NACH DIN MATERIAL ACC TO DIN
1	EN-GJS	GGG
2	EN-GJS	GGG
3	EN-GJS	GGG
	X10CrNi18-8	X10CrNi 18 8
4	EPDM	EPDM
	NBR	NBR
5	8.8 gal. Zn	8.8 gal. Zn
	A2/A4	A2/A4
6	8 gal. Zn	8 gal. Zn
	A2/A4	A2/A4

Ostali materijali na upit.
 Andere Werkstoffe auf Anfrage.
 Other materials on request.

DN		100	125	150	175	200	250	300	350	400	450	500	600	700	800	900	1000
PN 10	D	220	250	285	315	340	395	445	505	565	615	670	780	895	1015	1115	1230
	k	180	210	240	270	295	350	400	460	515	565	620	725	840	950	1050	1160
	n	8	8	8	8	8	12	12	16	16	20	20	24	24	28	28	
	I	19	19	23	23	23	23	23	23	27	27	27	31	31	34	34	37
	L ₁	100	100	100	100	100	110	110	120	120	120	120	120	120	130	150	150
	L ₂	180	180	195	195	195	215	215	215	230	230	230	230	240	250	280	280
	x	8	10	10	10	10	10	10	10	12	10	10	10	10	12	12	12
m kg	14	18	22	26	30	40	47	59	74	81	92	121	156	202	248	296	
PN 16	D	220	250	285	315	340	405	460	520	580	640	715	840	-	-	-	-
	k	180	210	240	270	295	355	410	470	525	585	650	770	-	-	-	-
	n	8	8	8	8	12	12	12	16	16	20	20	20	-	-	-	-
	I	19	19	23	23	23	27	27	27	31	31	34	37	-	-	-	-
	L ₁	100	100	100	100	100	120	120	130	130	140	140	140	-	-	-	-
	L ₂	180	180	195	195	195	225	225	240	250	270	270	280	-	-	-	-
	x	8	10	10	10	10	10	10	10	10	10	10	10	-	-	-	-
m kg													-	-	-	-	

Narudžba ventila

Narudžba mora sadržavati sljedeće podatke:
 - Broj artikla: V7 – 11B
 - Nazivni promjer, npr. DN 500
 - Nazivni pritisak, npr. PN 16

Bestellung

Bei Bestellung bitte angeben:
 - Artikelnummer: V7 – 11B
 - Nennweite z. B. DN 500
 - Nenndruck z.B. PN 16


Ordering

When ordering please state:
 - Model number: V7 – 11B
 - Nominal size e.g. DN 500
 - Nominal pressure, e.g. PN 16

KOMPENZATOR – GGG
EXPANSION JOINTS – GGG
AUSGLEICHROHRVERBINDUNGEN – GGG

Broj artikla:
Art. No.
Artikelnummer:
V7 – 10K2

POZ TEIL PART	MATERIAL PO DIN- WERKSTOFF NACH DIN MATERIAL ACC TO DIN
1	GGG
2	GGG
3	GGG
4	EPDM
5	8.8 / A2
6	8.8 / A2
7	8 / A2




DN		80	100	125	150	200	250	300	400
PN 10	D	200	220	250	285	340	395	445	565
	k	160	180	210	240	295	350	400	515
	n	8	8	8	8	8	12	12	16
	d ₂	18	18	18	22	22	22	22	26
	L ₁	200	200	200	200	220	220	220	230
	L ₂	200	200	210	210	225	230	225	225
	L ₃	70	80	80	85	85	100	110	110
	m, kg	17	21	26	35	49	64	73	124

KOMPENZATOR – GGG
EXPANSION JOINTS – GGG
AUSGLEICHROHRVERBINDUNGEN – GGG

Broj artikla:
Art. No.
Artikelnummer:
V7 – 10K

POZ TEIL PART	MATERIAL PO DIN-u WERKSTOFF NACH DIN MATERIAL ACC TO DIN
1	GGG
2	GGG
3	EPDM
4	8.8 / A2
5	8 / A2



DN		100	125	150	200	250	300	400
PN 10	D	220	250	285	340	395	445	565
	k	180	210	240	295	350	400	515
	n	8	8	8	8	12	12	16
	d ₂	18	18	22	22	22	22	26
	L ₁	220	220	242	242	255	262	235
	L ₂	100	100	110	110	110	120	120
	m kg							